

FOURTH EDITION

Green Building Guidelines

**Meeting the Demand for Low-Energy,
Resource-Efficient Homes**



Foreword

How we choose to shelter ourselves has an enormous impact on our resources. The millions of homes built every year require a combination of wood, concrete, glass, metal, and other products. These residential buildings consume approximately 20% of America's energy every year thereafter in the form of energy consumption and maintenance needs. But our homes need not be so energy- and resource-intensive. Applying no-cost and low-cost design principles can lower the energy consumption of future housing stock by 30-50%. By applying a whole building approach in the design and development of homes, improved comfort, water-efficiency savings, improved indoor environmental quality, and a more material-efficient home can be realized. The *Green Building Guidelines*, created by home builders for home builders, can help achieve these goals.

The development of the *Green Building Guidelines* has been a collaborative effort of a number of builders, some of whom are members of the National Association of Home Builders, as well as representatives from across the residential buildings industry. The Sustainable Buildings Industry Council members and staff provided the framework with technical support from the U.S. Department of Energy's Office of Building Technology and the U.S. DOE's Building America Program.

The *Guidelines* is a reference manual which will enable builders to easily locate general information. The content of each chapter is presented in such a way that someone new to a topic will be able to understand the concept. Within each chapter, there are also many valuable design and construction tips for more experienced green builders, not to mention numerous references for those seeking truly detailed information on a topic. This approach recognizes that there are many shades of green as well as thresholds for energy-efficient design strategies. Whether or not they are cost-effective, practical, and attractive enough to offer a market advantage to any individual builder depends on specific factors such as local costs, climate, and market characteristics. This is ultimately a decision made by builders, often with their clients, during the design and development stages of each project. The *Guidelines* will be a particularly helpful tool during the early stages and in negotiations with subcontractors, suppliers, developers, and business partners. The materials, presentation of concepts, rules of thumb, checklists, graphics, and other information in this manual will better enable you to achieve the goal of designing and building energy- and resource-efficient homes.

A unique feature of the *Guidelines* is that it is based on whole building design principles and an integrated approach to energy management rooted in passive solar design concepts. A whole building design approach looks at materials, systems, and assemblies from many different perspectives. The design is evaluated for cost, quality-of-life, future flexibility, ease of maintenance, energy- and resource-efficiency, overall environmental impact, productivity, creativity, and ways the occupants will be enriched and enlivened by their surroundings. The whole building approach is intended to broaden your perspective to observe the "ripple effect"—the interrelatedness of all elements of the home.

Contents

| | |
|--|-------------|
| Acknowledgments | i |
| Foreword | iii |
| Contents | v |
| Builder's Matrix | x |
| Overview | xi |
| Background: The 'Whole Building' Design Process | xiii |
| CHAPTER 1 | |
| Community and Site Planning | 1 |
| Land Development | 1 |
| Smart Growth | 1 |
| Sustainability Principles | 1 |
| <i>What is a Traditional Neighborhood Development (TND)?</i> | 2 |
| Incentives for Developers and Builders | 3 |
| Brownfield Sites | 3 |
| Greyfield Sites | 3 |
| Scattered-Lot Infill Sites | 4 |
| Open Space and Building Clustering | 4 |
| Greenfield Sites | 4 |
| Paved Areas | 4 |
| Stormwater Management | 5 |
| <i>Case Study: Bigelow Homes, Chicago, Illinois</i> | 6 |
| Land Development – Rules of Thumb | 7 |
| Additional Resources | 7 |
| Web Resources | 7 |
| Interactions | 8 |
| Site Planning | 9 |
| Green Site Planning in Higher Density Developments | 9 |
| Green Site Planning in Lower Density Developments | 9 |
| Site Planning for Solar Access | 10 |
| Reduce Site Disturbance | 11 |
| Landscaping | 11 |
| Site Planning – Rules of Thumb | 12 |
| Additional Resources | 13 |
| Web Resources | 13 |
| Interactions | 13 |
| Construction Waste Management | 14 |
| Why Bother? | 14 |
| Developing a Waste Management Plan | 14 |
| Hazardous Waste Disposal | 15 |
| <i>Case Study</i> | 15 |
| Strategies to Minimize Waste Generation | 16 |
| Strategies for Waste Recycling | 17 |
| Construction Waste Management Procedures – Rules of Thumb | 17 |
| Additional Resources | 17 |
| Web Resources | 18 |
| Interactions | 18 |
| CHAPTER 2 | |
| Renewable Energy | 19 |
| Passive Solar Design Strategies | 19 |

| | |
|---|-----------|
| Following the Sun | 19 |
| Shading South-Facing Glass | 20 |
| Shading East- and West-Facing Glass | 20 |
| Windows Terminology | 21 |
| The Nature of Solar Radiation | 21 |
| Choosing Glass in Various Climates | 21 |
| <i>NFRC Definitions</i> | 22 |
| Examples of Glass in Various Climates | 23 |
| 'Tuning' Glass With Low-E Coatings | 23 |
| Shading Glass With Overhangs and Landscaping | 23 |
| How to Use Thermal Mass | 24 |
| Thickness of Thermal Mass | 25 |
| Ways of Providing Thermal Mass | 25 |
| Passive Solar Design – Rules of Thumb | 26 |
| <i>Case Study: An Affordable, Energy-Efficient Passive Solar Home</i> | 26 |
| <i>Case Study: Passive Solar Design</i> | 27 |
| Additional Resources | 28 |
| Web Resources | 28 |
| Interactions | 28 |
| Solar Water Heating Systems | 29 |
| Thermosyphon Systems | 29 |
| Direct Circulation Systems | 29 |
| Drain-Back Systems | 30 |
| Closed Loop Systems | 30 |
| Batch/Integral Collector Storage Systems | 30 |
| Design and Installation Recommendations | 30 |
| Pre-Plumbing for Solar Water Heating | 31 |
| Solar Water Heating – Rules of Thumb | 31 |
| Additional Resources | 32 |
| Web Resources | 32 |
| Interactions | 32 |
| Solar Photovoltaic Strategies | 33 |
| Inverters | 34 |
| Orientation | 34 |
| Talk to an Experienced Professional | 35 |
| Interconnection Agreements | 35 |
| Financial Incentives | 36 |
| <i>Case Study: Energy Independence Through Photovoltaics</i> | 36 |
| Photovoltaic Strategies – Rules of Thumb | 38 |
| Additional Resources | 38 |
| Web Resources | 39 |
| Interactions | 39 |
| CHAPTER 3 The Building Envelope | 41 |
| Why the Envelope Is Important | 41 |
| What Does the Envelope Include? | 41 |
| <i>Building Science in Transition</i> | 42 |
| Foundations | 42 |
| <i>Moisture Control Techniques</i> | 43 |
| Walls and Floors | 43 |
| <i>Framing Efficiency</i> | 44 |
| <i>Wall Cladding/Exterior Surfaces</i> | 45 |
| Roofs | 45 |
| Insulation and Air Sealing | 46 |

| | | |
|------------------|---|-----------|
| | <i>Vapor Retarders</i> | 46 |
| | <i>Air Leakage Driving Forces</i> | 48 |
| | <i>Air Infiltration Control</i> | 49 |
| | <i>Air Infiltration Control Checklist</i> | 50 |
| | <i>Air Infiltration Control Diagrams</i> | 51 |
| | Windows | 53 |
| | The Building Envelope – Rules of Thumb | 53 |
| | Additional Resources | 54 |
| | Web Resources | 54 |
| | Interactions | 55 |
| CHAPTER 4 | Energy Efficiency | 57 |
| | Heating and Air Conditioning Systems | 57 |
| | Ductwork Versus No Ductwork | 57 |
| | Heating System Options | 57 |
| | Air Conditioning System Options | 59 |
| | Evaporative Coolers | 60 |
| | Sizing and Designing Systems | 60 |
| | Heating and Air Conditioning Systems – Rules of Thumb | 60 |
| | <i>Manual J Example</i> | 61 |
| | Additional Resources | 62 |
| | Web Resources | 62 |
| | Interactions | 62 |
| | Heating and Air Conditioning Equipment | 63 |
| | Air Conditioning Equipment | 63 |
| | Variable Speed Units | 63 |
| | Heat Pumps | 63 |
| | Heating Equipment | 64 |
| | Geothermal Heat Pumps | 64 |
| | Air Source Heat Pumps | 65 |
| | Efficient Duct Design and Installation | 65 |
| | <i>Efficient Duct Design and Installation Diagrams</i> | 66 |
| | Duct Installation Tips: High-Priority Leaks | 68 |
| | Duct Installation Tips: Low-Priority Leaks | 68 |
| | Additional Duct Design and Installation Recommendations | 68 |
| | HVAC Controls: Programmable Thermostats | 69 |
| | Air Conditioning Equipment – Rules of Thumb | 70 |
| | Heating Equipment – Rules of Thumb | 70 |
| | Additional Resources | 70 |
| | Web Resources | 71 |
| | Interactions | 71 |
| | Water Heating | 72 |
| | Water Heater Efficiency | 72 |
| | Insulate Hot Water Tank and Lines | 73 |
| | Reducing Losses at Remote Fixtures | 73 |
| | Set Water Heater to 120 Degrees | 73 |
| | Alternative Water Heating Systems | 74 |
| | Water Heating – Rules of Thumb | 74 |
| | Additional Resources | 74 |
| | Web Resources | 74 |
| | Interactions | 75 |
| | Lighting | 76 |
| | <i>Daylight</i> | 76 |
| | Compact and Other Fluorescent Lighting for Indoor Use | 77 |

| | | |
|------------------|--|-----------|
| | Recessed Lighting | 77 |
| | Outdoor Lighting | 77 |
| | Occupant and Photo Sensors, Dimmers, and Other Controls | 77 |
| | Energy-Efficient Lighting – Rules of Thumb | 78 |
| | Additional Resources | 78 |
| | Web Resources | 78 |
| | Interactions | 79 |
| | Appliances | 80 |
| | <i>Buy ENERGY STAR® Appliances</i> | 80 |
| | Refrigerators/Freezers | 81 |
| | Dishwashers | 81 |
| | Ovens, Stoves, and Ranges | 82 |
| | Clothes Washers | 82 |
| | Clothes Dryers | 82 |
| | Energy-Efficient Appliances – Rules of Thumb | 83 |
| | Additional Resources | 83 |
| | Web Resources | 83 |
| | Interactions | 84 |
| CHAPTER 5 | Efficient Water Use | 85 |
| | Indoor Water Use | 85 |
| | Low-Flow Toilets | 86 |
| | Low-Flow Faucets | 86 |
| | Low-Flow Showerheads | 86 |
| | Appliances and Recirculating Systems | 86 |
| | Leaks | 87 |
| | Plumbing Hardware/NSF Certification | 87 |
| | Potable Water Quality | 87 |
| | Efficient Interior Water Use – Rules of Thumb | 88 |
| | Additional Resources | 88 |
| | Web Resources | 89 |
| | Interactions | 89 |
| | Outdoor Water Use | 90 |
| | Xeriscaping With Native and Drought-Resistant Plants | 90 |
| | Xeriscaping and Landscaping Planting Plans | 90 |
| | Minimizing Use of Lawn Turf by Using Native Grasses | 91 |
| | Pervious Materials | 91 |
| | Irrigation Technology: Timers, Sensors, and Other Controls | 92 |
| | Drip Irrigation | 92 |
| | Wastewater Treatment and Reclaimed Water | 93 |
| | Rain Catchment | 93 |
| | Greywater | 94 |
| | Case Study: Wastewater Treatment | 94 |
| | Efficient Exterior Water Use – Rules of Thumb | 94 |
| | Additional Resources | 95 |
| | Web Resources | 95 |
| | Interactions | 96 |
| CHAPTER 6 | Indoor Environmental Quality | 97 |
| | Indoor Air Quality | 97 |
| | Preventing Pollution From Attached Garages | 98 |
| | Radon Control Measures | 99 |
| | <i>Sample Ventilation Plans</i> | 100 |
| | Filtration Techniques | 101 |

| | | |
|------------------|--|------------|
| | Combustion Safety | 101 |
| | Controlling Indoor Humidity | 101 |
| | Build Vented Storage Space for Toxic Materials | 102 |
| | Range Hoods Ducted to the Outside | 102 |
| | Don't Oversize | 102 |
| | <i>Air Movement</i> | 103 |
| | Air Sealing | 103 |
| | Acoustics | 104 |
| | Light Intensity and Quality | 105 |
| | Fireplaces and Stoves | 105 |
| | Sealed Combustion Furnaces or Boilers | 106 |
| | Sealed Combustion Water Heaters | 106 |
| | <i>Bathroom Exhaust Strategies</i> | 107 |
| | Indoor Environmental Quality – Rules of Thumb | 107 |
| | Additional Resources | 107 |
| | Web Resources | 108 |
| | Interactions | 108 |
| CHAPTER 7 | Materials | 109 |
| | Selecting Green Materials | 109 |
| | Material Reuse | 110 |
| | How to Find Green Material Suppliers | 111 |
| | Green Materials by Category | 111 |
| | Foundations | 112 |
| | Walls and Floors | 113 |
| | Forestry and Lumber Programs | 114 |
| | Wall Cladding/Exterior Finishes | 115 |
| | Roofs | 116 |
| | Insulation and Air Sealing | 116 |
| | <i>Insulation Types</i> | 117 |
| | Windows | 118 |
| | Finishes | 119 |
| | <i>Case Study: Material Savings/Framing Techniques</i> | 121 |
| | <i>Case Study: Material Savings/Value-Engineering Techniques</i> | 121 |
| | <i>What is Green?</i> | 122 |
| | Materials – Rules of Thumb | 129 |
| | Additional Resources | 129 |
| | Web Resources | 130 |
| | Interactions | 132 |
| CHAPTER 8 | Operation and Maintenance | 133 |
| | What the Builder Can Do in the Design Process | 133 |
| | What the Homeowner Can Do | 134 |
| | Additional Resources | 136 |
| | Web Resources | 136 |
| | Interactions | 138 |
| | General References | 139 |
| | Green Building Programs | 139 |
| | List of Green Building Programs | 139 |
| | Green Building Checklists | 141 |
| | EarthCraft House SM Checklist | 142 |
| | Vermont Building Green Scorecard | 150 |

Builder's Matrix

| | 1. Community and Site Planning | 2. Renewable Energy | 3. The Building Envelope | 4. Energy Efficiency | 5. Efficient Water Use | 6. Indoor Environmental Quality | 7. Materials | 8. Operation and Maintenance |
|-------------------------------------|--------------------------------|---------------------|------------------------------|----------------------|------------------------|---------------------------------|-------------------|------------------------------|
| Land Development | 1-8 | 19-28 | | | | | | |
| Site Planning | 1, 3, 4, 5, 9-13 | 19-28, 34 | | 76 | 90-96 | 99 | 120, 126 | 37 |
| Construction Waste Management | 14-18 | | 44 | | | | 109, 110, 126 | |
| Renewable Energy (Passive Solar/PV) | 1-2, 10-12 | 19-39 | 53 | 76-77 | 85-89 | 105 | 118, 126-128 | 135 |
| Foundations | | 24-25 | 50, 41-43 | | | 99 | 112-113 | 135 |
| Framing | | | 43-44 | | | | 113-114, 121, 125 | 135 |
| Exterior Finishing | | 19-24 | 43, 45 | | | | 124-127 | 133 |
| Roofing | | 29-32, 33-35 | 43, 45 | | | | 116, 124 | 133 |
| Plumbing | 4 | 29-32 | 43, 50-51 | 72-74, 80-82 | 84-96 | 106 | 125, 127 | 134-135 |
| HVAC | | | 43, 46, 48, 49, 50-55, 59-73 | 57-71 | | 97-103, 127 | 116, 126 | 134 |
| Electrical | | 33-39 | 50-52 | 76-84 | 86 | 105 | 126-127 | 135 |
| Windows | | 19-24 | 48, 49, 50-56 | | | 103 | 118, 126-127 | 135 |
| Insulation and Air Leakage | | 27-28 | 46-49, 50-55 | | | | 116-117 | 135 |
| Interior Finishes | | 24-25 | 43, 48, 50-55 | | | | 119-120 | 134 |
| Flooring | | 24-25 | 43, 48, 50-55 | | | 104-105 | 119-120 | 134 |
| Landscaping | 4-5, 9-13 | 20, 21, 23, 24 | 45, 79 | 77 | 90-94 | | | 134-135 |

About SBIC

The Sustainable Buildings Industry Council (SBIC) is an independent, nonprofit organization whose mission is to advance the design, affordability, energy performance, and environmental soundness of America's buildings. As the foremost national resource for passive solar and climate-responsive design and product information, SBIC offers professional training, consumer education, and analysis tools. The Council provides accurate, easy-to-read guidelines, software, and general information about energy conservation measures, energy-efficient equipment and appliances, daylighting, and passive solar architecture.

Formed in 1980, SBIC represents a unique partnership of leading trade associations, product manufacturers, and professionals within the building industry. From the outset, SBIC has pursued strong partnerships with the U.S. Department of Energy's Office of Building Technology, Office of Federal Energy Management Programs, and the National Renewable Energy Laboratory to develop its products and services. SBIC resources help its members create aesthetically pleasing, cost-effective, and sustainable buildings.

Sustainable Buildings Industry Council

1112 16th Street NW

Suite 240

Washington, D.C. 20036

(202) 628-7400

(202) 393-5043 (fax)

SBIC@SBICouncil.org

www.SBICouncil.org

